

Typical Specification

Acetonitrile

Specification		Test Method
Acetonitrile %/wt. min	99.9	ACEN - 3-4
Acidity %/wt. max.	0.05	ACEN - 4-4
Free Ammonia, ppm max.	6.0	ACEN - 6-4
Titration Acid, μ eq/gm max.	8.0	ACEN - 24-4
Titration Base, μ eq/gm max.	0.35	ACEN - 25-4
Copper, ppm max.	0.5	ACEN - 13-4
Iron, ppm max.	0.5	ACEN - 14-4
Water, %/wt. max.	0.05	ACEN - 7-4
UV Cutoff	205 NM max.	ACEN - 21-4
Acrylonitrile, ppm max.	3	ACEN - 23-4
Propionitrile, ppm max.	300	ACEN - 23-4
Non Volatiles Matter, ppm max.	10	ACEN - 22-4
Color (APHA Pt - Co)	≤ 5	ACEN - 8-4
Specific Gravity 20/20 °C	0.780 - 0.785	ACEN - 1-4
Distillation Range		ACEN - 2-4
Initial, °C min	80.5	
Dry Point, °C max	82.5	
Appearance	Clear and free of suspended matter	ACEN - 9-4

This specification is presented for informational purposes only. Please check with your sales representative for current specification at time of ordering. The information listed is believed to be reliable. No warranty, expressed or implied, is made to the accuracy or completeness of this information or the material or its fitness for use. The seller is not responsible for damage resulting from its use. Nothing herein shall be construed as a recommendation for use in violation of any patent. Purchasers shall conduct their own tests to determine the suitability of much products for particular purposes.