



SILVER FERN
CHEMICAL

2226 Queen Anne Ave N.
Seattle, WA 98109, USA
Ph (866) 282-3384
Fax (206) 282-0105
www.silverfernchemical.com

Typical Specification

Glycol Ether DM

Description

Glycol Ether DM is a colorless liquid with a mild, pleasant odor. It is miscible with water and most organic solvents which makes it valuable as a solvent in coating applications such as latex paint and wood stain. Glycol Ether DM is also used in textile applications such as printing and dyeing processes, and in printing inks.

Specifications

Appearance	Substantially free of suspended matter
Assay/purity	99.1
Color (APHA) max.	10
Acidity (as acetic acid), wt. % max.	0.01
Water, wt. % max.	0.10

Typical Properties

Molecular weight	120.15
Freezing point, °C (°F)	- 68.9 (-92)
Distillation range at 760 mm Hg	
Initial boiling point, °C (°F) min.	191.0 (376)
Dry point, °C (°F) max.	198.0 (388.5)
Specific gravity at 20/20°C	1.021 - 1.027
Flash point (PMCC), °F (°C)	192 (89)
Vapor pressure at 20°C, mm Hg	0.2
Viscosity at 20°C, cP	3.87
Surface tension at 20°C, dynes/cm ²	35.9
Weight/gal. (US) in lbs. at 20°C	8.51

This specification is presented for informational purposes only. Please check with your sales representative for current specification at time of ordering. The information listed is believed to be reliable. No warranty, expressed or implied, is made to the accuracy or completeness of this information or the material or its fitness for use. The seller is not responsible for damage resulting from its use. Nothing herein shall be construed as a recommendation for use in violation of any patent. Purchasers shall conduct their own tests to determine the suitability of much products for particular purposes.